

Drug Facts (continued)**Other Information**

- Do not use if inner seal is missing or broken.
- Store in a cool, dry place.
- Contents may not fill package in order to accommodate required labeling. Please refer to stated quantity.

Inactive ingredients

Cetostearyl alcohol, glycerin, purified water

Seroyal UNDA

Made in Belgium for
Seroyal USA
Pittsburgh, PA 15275
1-888-737-6925

V2



UNDA® and design is used under license from Unida S.A.

NDC 62106-3159-0



PROCTOSAN CREAM

Homeopathic Preparation

For the temporary relief of symptoms associated with hemorrhoids.

Net Weight 40 g (1.4 oz)



Drug Facts

Active ingredients .. Purpose

This preparation contains:
 Aesculus hippocastanum (Horse chestnut) Seeds MT 0.4% Itching
 Collinsonia canadensis (Stone root) Underground Parts MT 0.4% Burning
 Nettarda (Boxelder) Bark MT 0.1% Painful piles
 Paeonia officinalis (Peony) Underground Roots MT 0.4% Itching
 Ratanhia (Rhatany) Root MT 2.0% Burning

Uses

For the temporary relief of symptoms associated with hemorrhoids.

Product Uses are based on Homeopathic Materia Medica and are not supported by clinical trials. These Uses have not been evaluated by the Food and Drug Administration.

Warnings

For external and intrarectal use only.
 Do not use this product with an applicator if the introduction of the applicator into the rectum causes additional pain. Consult a doctor promptly.

When using this product do not exceed the recommended daily dosage unless directed by a doctor.
Stop use and ask a doctor
 ■ In case of bleeding.
 ■ If condition worsens or does not improve within 7 days.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. ■ Gently dry by patting or blotting with clean tissue or a soft cloth before application of this product. ■ Apply a small amount to the affected area in the morning and at night, and after each bowel movement, or as recommended by your healthcare practitioner.
FOR INTRARECTAL USE: Attach applicator to tube. ■ Lubricate applicator well, then gently insert applicator into the rectum.
 ■ Squeeze tube to release a small amount of cream into the rectum. ■ Gently remove applicator and thoroughly cleanse applicator after each use. ■ Children: Use under the direction of your healthcare practitioner. ↑

NDC 62106-3159-0



PROCTOSAN CREAM

Homeopathic Preparation

For the temporary relief of symptoms associated with hemorrhoids.

Net Weight 40 g (1.4 oz)

