## Drug Facts (continued)

#### Other information

- Do not use if seal is missing or broken.
- Store in a cool, dry place.
- Contents may not fill package in order to accommodate required labeling. Please rely on stated quantity.

# Inactive ingredients

Ethanol (beet), purified water

Seroval -

Made in Belgium by UNDA Dist. by Seroval USA

BARCODE LOCATION

883196 32670

V2

Pittsburgh, PA 15275

1-888-737-6925



NDC 62106-1202-0

UNDA

plex

Homeopathic Preparation

For the temporary relief of symptoms associated with digestive upset.



Contains 70% Alcohol

1 fl oz (30 mL)

# Drug Facts

#### Active ingredients Purpose Each drop contains: Asafoetida (Devil's dung) Gum Resin 6X... Indiaestion Carbo vegetabilis (Vegetable charcoal) 6X . . Stomach acidity Cinchona succirubra

(Cinchona) Bark 6X Abdominal distension
Kali carbonicum
(Potassium carbonate) 6X Colic
Lycopodium clavatum
(Clubmoss) Spores 6X Bloating
Nux moschata (Nutmeg)
Seeds 6X Cramps
Nux vomica (Poison nut)
Seeds 6X (<2.7 x 10 <sup>-7</sup> %

Abdominal

distention Raphanus sativus var niger (Black radish) Underground Parts 6X.... Stomach pain

alkaloids, calculated)

X is a homeopathic dilution: see www.seroval.com/homeopathics for details

### HSAS

For the temporary relief of symptoms associated with digestive upset such as:

■ Bloating ■ Indigestion ■ Colic

Product 'Uses' are based on Homeopathic Materia Medica and are not supported by clinical trials. These 'Uses' have not been evaluated by the Food and Drug Administration.

# Drug Facts (continued)

### Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- To be taken ten minutes away from food. Invert bottle and shake lightly allowing drops to fall directly under the tonque or into ¼ oz of water. ■ Hold contents for about 20 seconds.
- and swallow. ■ To promote drop flow, invert bottle and
- shake before each use. ■ Dosage frequency may be increased
- up to six times daily depending on the severity of symptoms.

Adults and adolescents 12 years and older)	Take 10 drops three times daily or as recommended by your healthcare practitioner.
---	--

Children	
(under	
12 years)	

Take under the direction of your healthcare practitioner.

