## Drug Facts (continued)

Children (under 12 years)

Take under the direction of your healthcare practitioner.

#### Other information

- Do not use if seal is missing or broken.Store in a cool, dry place.
- Contents may not fill package in order to accommodate required labeling.
   Please rely on stated quantity.

## Inactive ingredients

Ethanol (beet), purified water

# Seroyal www.

Made in Belgium for Seroyal USA Pittsburgh, PA 15275 1-888-737-6925



V3

NDC 62106-1198-0



## **PAEONIA PLEX**

Homeopathic Preparation

Assists with the temporary relief of hemorrhoids and helps promote and maintain healthy liver function.



Contains 25% Alcohol

1 fl oz (30 mL)

## Drug Facts

## Active ingredients Each drop contains:

Purpose

Aesculus hippocastanum (Horse chestnut) Seeds 3X...

..... Painful

hemorrhoids

pain

Arnica montana (Leopard's bane) Underground Parts 4CH . . . . . Abdominal

Graphites (Black lead) 4CH.....İtchy hemorrhoids Hamamelis virginiana (Witch hazel) Bark 4X....Piles Nitricum acidum (Nitric acid) 4CH...Painful

Nux vomica (Poison nut) Seeds 4CH

(<2.7 x 10<sup>-9</sup> % alkaloids, calculated) . . . . Liver function Paeonia officinalis (Peony) Underground Parts 4X. . . . . Hemorrhoids

Underground Parts 4X..... Hemorrhoids Sulphur (Sublimed sulfur) 6X..... Liver function

X and CH are homeopathic dilutions: see www.seroyal.com/homeopathics for details.

### Uses

- Assists with the temporary relief of hemorrhoids.
- Helps promote and maintain healthy liver function.

## **Drug Facts** (continued)

Product 'Uses' are based on Homeopathic Materia Medica and are not supported by clinical trials. These 'Uses' have not been evaluated by the Food and Drug Administration.

### Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- To be taken ten minutes away from food.
   Invert bottle and shake lightly allowing drops to fall directly under the tongue or into ¼ oz of water.
- Hold contents for about 20 seconds and swallow.
- To promote drop flow, invert bottle and shake before each use.
- Dosage frequency may be increased up to six times daily depending on the severity of symptoms.

Adults and adolescents (12 years and older) Take 10 drops three times daily or as recommended by your healthcare practitioner.

