### Drug Facts (continued)

Children (under 12 years) Take under the direction of your healthcare practitioner.

### Other information

- Do not use if seal is missing or broken.
- Store in a cool, dry place.
- Contents may not fill package in order to accommodate required labeling.
   Please rely on stated quantity.

### Inactive ingredients

Seroval &

Ethanol (beet), purified water

Made in Belgium by UNDA

Dist. by Seroval USA

Pittsburgh, PA 15275

1-888-737-6925

# NDC 62106-1205-0





### ACIDUM PHOSPHORICUM PLEX

Homeopathic Preparation

For the temporary relief of mental fatigue symptoms.



Contains 60% Alcohol

1 fl oz (30 mL)

# Drug Facts

#### Active ingredients Purpose Each drop contains: Anacardium orientale Headache (Marking nut) Fruit 6X Argentum nitricum (Silver nitrate) 6X..... Forgetfulness Arnica montana (Leopard's bane) Underground Parts 6X. Agitation Avena sativa (Oats) Flowering Aerial Parts 3X . . . . . Lack of concentration

Gelsemium sempervirens
(Yellow jessamine)
Underground Parts 6X..... Lack of

Selenium metallicum
(Selenium) 6X . . . . . Forgetfulness
X is a homeopathic dilution; see

X is a homeopathic dilution: see www.seroyal.com/homeopathics for details.

### Uses

- Helps promote and support overall nervous system health.
- Assists with the temporary relief of symptoms associated with mental fatigue.

# Drug Facts (continued)

Product 'Uses' are based on Homeopathic Materia Medica and are not supported by clinical trials. These 'Uses' have not been evaluated by the Food and Drug Administration.

### Warnings

Stop use and ask a doctor if symptoms persist or worsen.

If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### Directions

- To be taken ten minutes away from food.
   Invert bottle and shake lightly allowing
- Invert bottle and shake lightly allowing drops to fall directly under the tongue or into ¼ oz of water.
- Hold contents for about 20 seconds and swallow.
- To promote drop flow, invert bottle and shake before each use.
   Dosage frequency may be increased.
- Dosage frequency may be increased up to six times daily depending on the severity of symptoms.

Adults and adolescents (12 years and older) Take 10 drops three times daily or as recommended by your healthcare practitioner.

883196 32540

V2