

pharmax

HLC BABY F

pharmax

pharmax

pharmax

pharmax

Supplement Facts

Serving Size 1 Scoop (1.1 g)
Servings Per Container 60

Amount per serving	
Total Carbohydrate	1 g †

HLC Consortium	
10 billion viable cells	†
<i>Bifidobacterium bifidum</i> (CUL-20)	
<i>Bifidobacterium animalis</i> subsp. <i>lactis</i> (CUL-34)	
<i>Lactobacillus salivarius</i> (CUL-61)	
<i>Lactobacillus paracasei</i> (CUL-08)	

† % Daily Value not established

Other ingredients: Transgalactooligosaccharides (GOS) (from milk), Fructooligosaccharides (FOS)
Contains: Milk

✓ **Human Lactic Commensals (HLC) probiotic strains were studied in a randomized, double-blind, placebo-controlled human trial at 10 billion CFU per day. Proprietary non-pathogenic human-sourced microflora bacterial strains are utilized as they have strong epithelial adherence and a naturally high tolerance to stomach acid.**

HLC BABY F

probiotic supplement
for formula fed babies



Gluten free

Recommended intake: Children (1-4 years): In a glass, add water or milk to one scoop of HLC Baby F and mix. Take once daily with a meal, at least 2-3 hours before or after taking antibiotics, or as professionally directed.

Risk information: If you have an immune-compromised condition, do not use. If you are experiencing fever, vomiting, bloody diarrhea or severe abdominal pain, consult your healthcare practitioner prior to use. If symptoms of digestive upset occur, worsen or persist beyond three days, discontinue use and consult your healthcare practitioner.

Safety-sealed for your protection and for product freshness. Store under refrigeration (below 46°F).

Keep out of reach of children

Made in the UK for Seroyal USA
Pittsburgh, PA 15275, 1-888-737-6825

Barcode location
883196 21660

V.I.D

Code PB27-66

Pack size: Net Wt 2.3 oz (66 g)

VARNISH-FREE



✓ **Human Lactic Commensals (HLC) probiotic strains** were studied in a randomized, double-blind, placebo-controlled human trial at 10 billion CFU per day. Proprietary non-pathogenic human-sourced microflora bacterial strains are utilized as they have strong epithelial adherence and a naturally high tolerance to stomach acid.

Recommended intake: Children (1-4 years): In a glass, add water or milk to one scoop of HLC Baby F and mix. Take once daily with a meal, at least 2-3 hours before or after taking antibiotics, or as professionally directed.

Risk information: If you have an immune-compromised condition, do not use. If you are experiencing fever, vomiting, bloody diarrhea or severe abdominal pain, consult your healthcare practitioner prior to use. If symptoms of digestive upset occur, worsen or persist beyond three days, discontinue use and consult your healthcare practitioner.

Vacuum-sealed for your protection and for product freshness. Do not use if outer seal is missing or broken. Store under refrigeration (below 46°F).

Keep out of reach of children

HLC BABY F

probiotic supplement

for formula fed babies



Pack size: Net Wt 2.3 oz (66 g)

Supplement Facts

Serving Size 1 Scoop (1.1 g)
Servings Per Container 60

Amount per serving

Total Carbohydrate	1 g	†
--------------------	-----	---

HLC Consortium	10 billion viable cells	†
-----------------------	-------------------------	---

Bifidobacterium bifidum (CUL-20)

Bifidobacterium animalis subsp. *lactis* (CUL-34)

Lactobacillus salivarius (CUL-61)

Lactobacillus paracasei (CUL-08)

† % Daily Value not established

Contains: Milk

Made in the UK for Seroyal USA, Pittsburgh, PA 15275, 1-888-737-6925